



wanaka

DESIGN CONTROL GUIDELINES
DESIGN YOUR OWN HOME LOTS





NORTHLAKE PHILOSOPHY

The stunning landscape of Northlake is deserving of protection, as is your investment in your Northlake property. Therefore, you need confidence that your neighbours in Northlake share the vision of a high-quality residential development, while also protecting Northlake's natural environment and views.

Please note that Design Control Approval on the basis set out in these Guidelines is required prior to commencement of any work for building construction, landscaping and fencing, as well as future external additions or renovations (including colour change) on any Design Your Own Home Lot.

Design Control Approval is required prior to obtaining Queenstown Lakes District Council ("QLDC") consent so please take a few minutes to read these Guidelines and ensure that your architect/home designer, landscape designer and builder are also familiar with them.

A key objective of these Guidelines is to ensure a highquality built environment and to limit development to an appropriate and coordinated palette of materials in keeping with the Northlake setting.

In these Guidelines, "buildings" means any dwelling (including carports and garages), structure or accessory unit erected on a Design Your Own Home Lot.

These Design Controls shall be administered by Northlake Investments Limited ("NIL") or such person appointed by NIL.


Please note, the Design Controls that apply to your lot at Northlake depend on the Activity Area in which your lot is located. Please take a minute to familiarise yourself with the Activity Area in which your lot is located (See Appendix).



BUILDING CONSTRUCTION CONTROLS

BUILDING SETBACKS

- Buildings on Lots located within Activity Area B2 B4,
 C1 and C2 are not to be located within the following setback areas.
 - o Road and access lot boundaries 4.5 metres.
 - o Internal boundaries one setback of 4.5 metres and all remaining setbacks to be 2 metres.
 - Rear sites which do not front a road are to have two setbacks of 4.5 metres and all remaining setbacks of 2.0 metres.
- Buildings on Lots located within Activity Area D1 are not to be located within the following setback areas.
 - o Road and access lot boundaries 3.0 metres.
 - o Internal boundaries 1.5 metres.
- Garages and carports in all Activity Areas must be setback at least level with the front façade (i.e. the façade facing the road and access lot boundary) of the building.
- Nominated duplex sites where dwellings are anticipated as sharing a common wall are exempt from the internal boundary setback requirements.






BUILDING HEIGHT


- Building height is limited to:
- Flat sites
 - 8.0 metres in Activity Area B2 B4, C2 and D1 (as measured from the lowest floor level to the highest roof point directly above that level).
 - In activity area C1 buildings are limited to single storey and a maximum height of 5.5m
- Sloping sites (Greater than 6 Degrees)
 - 7.0 metres in Activity Area B2 B4, and D1 (as measured from the lowest floor level to the highest roof point directly above that level).
- In addition, in Activity Area B2 B4 C1 and C2, no part
 of any building shall protrude through a recession line
 inclined toward the site at an angle of 40 degrees
 and commencing at 2.5 metres above ground level
 at any given point on the site boundary.
- The recession line shall not apply to Activity Area D1.


CONTINUOUS BUILDING LENGTH

- Where the aggregate length along one elevation of the building (as measured parallel to any boundary or boundaries) exceeds 16 metres, either:
 - The entire building is to be setback an additional 0.5 metres for every 6 metres of additional length, or part thereof, from the minimum setback detailed above (Building Setbacks); or
 - o The part of the building that exceeds the maximum building length is to be set back an additional 0.5 metres for every 6 metres of additional length, or part thereof, from the minimum setback detailed above (Building Setbacks).



Flat site





Recession Line - Activity Areas B2 B4 & C2 C1 only



BUILDING COVERAGE

- The maximum building coverage for all activities on any site shall be:
 - o Activity Area B2 B4, C1 and C2 is to be 40% of the Lot area.
 - o Activity Area D1 is to be 65% of the Lot area.

CAR PARKING

- Car parking is to be provided on the Design Your Own Home Lot for at least two cars (one park must be provided for in a garage / carport).
- Carparking and driveways should occupy no more than 40% of the street frontage.

ONLY ONE DWELLING ON A SITE

- Only one dwelling is permitted for each Design Your Own Home Lot, being a single unit dwelling. The dwellings floor area shall be no less than 70m² for those located in the D1 activity area, or 120m² for all other activity areas (area is inclusive of carport or garage but excluding verandas and patios).
- The exception to this requirement is where duplex lots, capable of containing two dwellings and of being further subdivided are identified by the developer. In this case, two dwellings sharing a common wall may be erected on the lot. The lot may then be further subdivided. The lot may not be subdivided prior to the dwellings being complete. The design controls as noted in this document shall otherwise generally apply.

ROOF

- Primary roofs are to be simple gables with no hips or valleys. The primary roof pitch must be between 20° and 40°. Flat roofs (with a roof pitch of less than 4°) when required, are to be linking structures only, adjacent to the primary roof or garage/carport roofs.
- All metal chimney flues and other roof penetrations should be enclosed or painted to make them less visually obtrusive. Colour and reflectivity is to be as set

- out in these Guidelines (General Building Controls).
- Mono-pitch roof forms will be assessed on a case by case basis. Acceptance is at the discretion of NIL. The architectural designs must be of a higher than average standard and demonstrate how it is appropriate to the land form and or visual impact on the wider area.
- All roof cladding shall be in the following only:
 - Metal Roofing (limited to tray, 5 rib, solar rib, Hi 5& corrugate)
 - o Cedar Shingles
 - o Slate
- All roofing details (spouting, downpipes and flashings) are to match the roof or wall colour but in any event are subject to the colour and reflectivity controls specified in these guidelines (General Building Controls).

CLADDINGS

- All dominant exterior wall cladding shall be in the following only:
 - Horizontal or vertical weatherboards (limited to cedar, other natural timber or linea)
 - o Board and batten
 - o Schist
 - Plaster (if used in conjunction with feature claddings)
 - Vertical metal tray profile wall cladding to match the roof cladding
- The following exterior wall claddings are permitted as architectural features only:
 - o Titan / Axon
 - o Bagged brick
 - o Stack bond masonry block
 - o Corten steel
 - o Precast or Insitu concrete



Simple gabled roof

GENERAL BUILDING CONTROLS

- Front doors should be visible from the street
- Building orientation should be to maximise solar gain with habitable rooms on northern aspect and garages on the southern where practicable.
- Buildings should generally be oriented toward the street and public spaces, with habitable rooms overlooking these areas where practicable.
- The design of all buildings shall be in line with the vision for Northlake of a high quality residential development.
- All buildings and fences must be constructed and finished as per best practices.
- All exterior wall and roof claddings, window and door joinery, and other external architectural features shall be dark recessive colours in the range of brown, grey and black only and shall have a maximum reflectivity of 36% (save that sheet metal roofing and chimney colours shall have a maximum reflectivity of 25%)



Corten Steel and Vertical Cedar



Horizontal cedar weatherboard



Stack bond masonry block



Tray cladding



 $5\ \mbox{Rib}$ roof, titan board, vertical cedar and board & batten

LANDSCAPE CONTROLS

The Landscaping to your Lot frontage will help preserve the neighborhood amenity of the high-quality Northlake development. The objectives of the below controls are to create a green landscaped frontage to each Lot and protect the quality of views, streetscapes and reserves.

All design review applications must include a landscaping plan which adheres to the landscaping controls set out in these guidelines. All landscaping must be constructed strictly in accordance with the approved plan(s).






BOUNDARY HEDGE PLANTING- Activity Areas D1 & B2-B4


- All common boundaries with a road, access Lot, reserve or residential Lot where paling fence is not permitted must be planted with a hedge. On all other boundaries hedges and / or mass planting as a boundary treatment is encouraged in place of solid fencing.
- Hedge plants are to be a minimum of 1000mm high at the time of planting and a maximum of 600mm apart (stem to stem).
- Hedging is to be clipped and maintained to a height of 1200 – 1800mm and max width of 1000mm.
- Hedge species are to be Griselinia littoralis or Prunus lustanica
- Lots within Activity Area C1 do not require Boundary hedge planting See.

BOUNDARY PLANTING - Activity Area C1


- Where any residential site boundary adjoins the Building Restriction Area E1 shown in the QLDC Northlake Special Zone Rules, planting within a four metre setback from that boundary shall achieve 100% coverage using kanuka, red tussock, coprosma,pittosporum and hebe species, with a minimum of two of these species.
- Where a batter gradient greater than 1:5 slopes towards a road, reserve or access Lot the batter must be planted to achieve 100% coverage in native plant species. Planting of non native plant species will be assessed on a case by case basis. As a minimum planting shall extend back to be in line with the front facade of the building.
- Boundaries between residential Lots are encouraged to be delineated by planting rather than solid fencing.



Boundary Hedge Planting



Permitted Fencing



FENCING

- Paling fencing to a finished height of 1800mm above existing ground level (at time of title) may be erected on each common boundary to a residential Lot. The fence is not to extend past the façade of the dwelling towards any road, access Lot or reserve. Fencing is to be as per the detail below. Additional palings to fill the gaps either side is permitted.
- No paling fencing is permitted on any road, access Lot or reserve boundary.
- Post and wire fencing to 1m high is permitted where paling fencing is not. This fencing must be constructed on the dwelling side of a boundary hedge.
- Fencing shall be of a high level of workmanship, straight between points, and free of obvious humps and hollows. Fences are to be natural timber, or stained black or dark brown.
- Lots within Activity Area C1 do not require a boundary fence

TREE PLANTING

- All Lot owners are to plant at least one tree within 2m of each road or reserve boundary. This is to be selected from the following species: Oak, Elm, Birch, Maple, Plane, Beech, Walnut, Ash, Cherry, prunus, Magnolia, Camellia or Alder.
- Trees are to be >2.5m in height at the time of planting.
- No trees over 4m are allowed within 2m of a neighboring residential lot.

MACROCARPA POSTS AND LETTERBOX

- Two Macrocarpa posts are to be added to each side of your driveway in line with the boundary, one of which is to hold the letterbox.
- Posts are to be 200mm square and 1m in height from driveway level.
- Posts are to be < 250mm from the driveway edge.
- The letterbox is to have a maximum dimension of 400Wx400Dx400H
- The letterbox is to be black, natural timber or steel in finish and must be built for purpose.

DRIVEWAY


- Owners are responsible for constructing their own driveway to connect with the relevant road / access lot.
- All driveways shall have a brushed or exposed aggregate concrete finish, no tints are permitted.
- Driveways shall be evenly flowing between points and have no obvious humps or hollows.
- No driveway shall have a width greater than 6m or less than 3m where it meets the carriageway of the road or access Lot.

GENERAL LANDSCAPE CONTROLS

• Garden sheds or other structures over 1.2m in height



Griselinia Littoralis Hedge





Typical Northlake Shade Structure and Fireplace

- are only permitted with prior written approval NIL or their successor.
- Pergolas, shade structures, carports and outdoor fires are to have an LRV of less than 36% or be constructed of natural timber, steel or stone. Transparent plastics are not permitted.
- Rubbish bins, washing lines, heat pump compressors and other utilities shall be screened with planting or a timber screen from roads, access Lots and reserves.
- All landscape lighting shall be downlighting with a hidden light source.
- No gates or obstructions across driveways are permitted.
- Retaining walls shal be square post and lagging stained black or neatly stacked local schist

MAINTENANCE AND RULES

- Paint, stain and other finishes on buildings and fences shall be maintained and reapplied as weathering affects color strength over time.
- If any tree planting or boundary hedge planting required in these guidelines is to become sick or to die, it is to be replaced within one month.
 Replacements to make good defects shall be true to the heights and species specified.
- Boundary Hedges are to be neatly clipped and maintained to the height and width specified.
- No car, boat or motorbike or other vehicle shall be parked overhanging a footpath these shall be contained entirely within residential Lots or 'on street' parking spaces.
- Before, during and after construction, no vehicle shall be parked or driven on a grassed area such as road verges. This includes any vehicles associated with your builder or any subcontractors.
- Laydown areas for building materials and other associated materials are to be located within your private Lot.

- Lots are to remain free of litter. This includes, but is not limited to, items such as plastic bags, rubble, dead vegetation material, rubbish which has migrated to the Lot in the wind, or larger items requiring removal by machine.
- Grass and weeds on vacant Lots shall not be allowed to exceed 100mm in height. Following construction, no weeds over 100mm in height within any residential Lot shall be visible from any road access Lot or reserve.
- In accordance with clause 8.3 of the Restrictive



Downlighting



Outdoor area



Covenant attached to every itle, NIL may seek to recover any costs directly or indirectly attributable to breeches of the design controls. You may also be liable for any legal costs incurred by Northlake in further enforcement action should breeched continue.

APPROVAL PROCESS

- Owners or their agent shall submit the Approved Building Plan Submission Form (located at the end of this document) and all relevant information required to NIL
- NIL will consider the submission and respond in writing within 20 working days of receipt of a fully complete submission, either providing the Owner/Agent with Design Control Approval or suggesting amendments to the submission.
- If the response is a Design Control Approval, the Owner/Agent can apply for the necessary QLDC consents.
- Alternatively, if NIL does not provide a Design Control Approval, then the Owner/Agent may work with NIL to amend the submission so that a Design Control Approval can be issued.
- The Owner (or agent) may only apply for and proceed with any building consent from QLDC after written Design Control Approval is obtained from NIL.
- Owners shall not undertake any construction on any Lot unless NIL has issued a Design Control Approval for that Lot and such construction must comply with the Design Control Approval issued by NIL.

Note: The construction of a dwelling or landscaping that does not fully comply with the Approved Building Plans will need to be rectified at the Owner(s) expense.

DESIGN APPROVAL FEE

- The fee for submitting an Approved Building Plan Submission Form to NIL shall be \$575 Inc GST.
- This fee covers the issue of a single Approval.
- Where further submission(s) of plans are requested, then NIL reserves the right to charge further fees in order to cover its costs.

CONSTRUCTION BOND

- A refundable construction bond of \$2500 (No GST) is required to be paid before design approval can be issued by NIL.
- The bond will be held by NIL and will become repayable when:
 - All building and landscaping works are fully complete as per the approved plans.
 - o Any damage to surrounding areas (public or private) that have occurred through building activities have been fully repaired or reinstated to the satisfaction of NIL. This includes the repair of any grass verge that adjoins your Lot.
- The Owner shall contact NIL when they have obtained the necessary QLDC Code of Compliance Certificates

- for the Northlake Home. The Owner shall then allow NIL reasonable access to inspect the building and landscaping works against the approved plans.
- If the Owner has not complied with the Design Control Approval and/or there has been damage caused to surrounding areas, public or private, NIL may utilise the bond in remedying such non-compliance or damage. Any additional costs may also be recovered from the Owner.

TIMING OF CONSTRUCTION

- Once construction has commenced, the exterior of all buildings must be completed within 12 months of the date of commencement.
- Landscaping and fencing must be completed within three months of the date of completion of the exterior of the dwelling.
- No Non-approved buildings or structures are permitted on any Lot outside of the permitted construction period.

GENERAL INFORMATION

NIL AND ITS APPOINTED PROFESSIONALS

When Northlake Investments Limited or its assignees
no longer own any Lots within Northlake, then NIL shall
use reasonable endeavors to assign responsibility of
the Guidelines to a resident's association or similar
(if one exists) or to a committee of Owners on a
basis to be agreed. In any event, NIL's responsibility
shall cease on the date 15 years after the first title in
Northlake was issued.

WAIVER

- NIL may, if it sees fit and whilst having regard to the unique circumstances of each Northlake Lot:
 - Alter or waive any of the processes set out in these Guidelines; and/or
 - o Waive or vary any of these Guidelines (provided it is satisfied that the result is consistent with the overall vision for its development at Northlake in its sole discretion).
- NIL shall not be liable to any Owner or any other
 person for any loss, damage, claim or expenses
 (including where such loss, damage, claim or expense
 arises from the approval or non-approval of an
 application under these Guidelines, any failure to

APPENDIX

LOT NUMBERS AND ACTIVITY AREAS

*Denotes Duplex Lot

Lot	Activity Area
1	B4
2	B4
3	B4
4	B4
12	B4
13	B4
14	D1
20	D1
913	D1
36	D1
41	D1
51	D1
59	C2
60	C2
61	C2
62	C2
63	C2
64	C2
65	C2
66	C2
67	C2
68	B4
69	B4
70	B4
71	B4
72	B4
73	B4
74	B4
75	B4
80	B4
81	B4
82	B4
83	B4
84	B4
89	B4
90	B4
91	B4
92	B4
93	B4
101	B4
102	B4
103	B4
104	B4
105	B4
106	B4

	*Deno
Lot	Activity Area
107	B4
108	B4
109	B4
110	B4
111	B4
112	B4
113	B4
114	B4
115	B4
116	B4
117	B4
118	B4
119	B4
120	B4
121	B4
122	B4
123	B4
124	B4
125	B4
126	B4
127	B4
128	B4
129	B4
130	B4
131	B4
132	B4
133	B4
134	B4
135	B4
136	B4
137	B4
138	B4
139	B4
140	B4
141	B4
142	B4
143	B4
144	B4
145	B4
196	B4
197	B4
198	B4
199	B4
200	B4
201*	B4

202 B4 203 B4 204 B4 205 B4 206* B4 207* B4 208 B4 209 B4 210 B4 211* B4 212* B4 213* B4 214 B4 215 B4 216* B4 217 B4 218 B4 220 B4 221 B4 222 B4 223 B4 224 B4 225 B4 226* B4 227* B4 228* B4 230* B4 231* B4 233* B4 234* B4 235* B4 236* B4 237 B4 238 B4 239 B4 240 B4	Lot	Activity Area
204 B4 205 B4 207* B4 208 B4 209 B4 210 B4 211* B4 212* B4 213* B4 214 B4 215 B4 216* B4 217 B4 218 B4 219 B4 220 B4 221 B4 222 B4 223 B4 224 B4 225 B4 226* B4 227* B4 228* B4 230* B4 231* B4 233* B4 234* B4 235* B4 236* B4 237 B4 238 B4 239 B4 240 B4 241 B4 242 B4	202	
205 B4 206* B4 207* B4 209 B4 210 B4 211* B4 212* B4 213* B4 214 B4 215 B4 216* B4 217 B4 218 B4 220 B4 221 B4 222 B4 223 B4 224 B4 225 B4 226* B4 227* B4 228* B4 230* B4 231* B4 232* B4 233* B4 234* B4 235* B4 236* B4 237 B4 238 B4 239 B4 240 B4 241 B4 242 B4 243 B4	203	B4
206* B4 207* B4 208 B4 209 B4 210 B4 211* B4 212* B4 213* B4 214 B4 215 B4 216* B4 217 B4 218 B4 220 B4 221 B4 222 B4 223 B4 224 B4 225 B4 226* B4 227* B4 228* B4 230* B4 231* B4 233* B4 233* B4 234* B4 235* B4 236* B4 237 B4 238 B4 239 B4 240 B4 241 B4 242 B4 243 B4	204	B4
207* B4 208 B4 209 B4 210 B4 211* B4 212* B4 213* B4 214 B4 215 B4 216* B4 217 B4 218 B4 220 B4 221 B4 222 B4 223 B4 224 B4 225 B4 226* B4 227* B4 228* B4 230* B4 231* B4 232* B4 233* B4 234* B4 235* B4 236* B4 237 B4 238 B4 239 B4 240 B4 241 B4 242 B4 243 B4 244* B4	205	В4
208 B4 209 B4 210 B4 211* B4 212* B4 213* B4 214 B4 215 B4 216* B4 217 B4 218 B4 220 B4 221 B4 222 B4 223 B4 224 B4 225 B4 226* B4 227* B4 228* B4 230* B4 231* B4 233* B4 234* B4 235* B4 236* B4 237 B4 238 B4 239 B4 240 B4 241 B4 242 B4 243 B4 244 B4 244 B4 244 B4 <	206*	B4
209 B4 210 B4 211* B4 212* B4 213* B4 214 B4 215 B4 216* B4 217 B4 218 B4 219 B4 220 B4 221 B4 222 B4 223 B4 224 B4 225 B4 226* B4 227* B4 230* B4 231* B4 231* B4 233* B4 234* B4 235* B4 236* B4 237 B4 238 B4 239 B4 240 B4 241 B4 242 B4 243 B4 244* B4 244* B4 244* B4	207*	B4
210 B4 211* B4 212* B4 213* B4 214 B4 215 B4 216* B4 217 B4 218 B4 219 B4 220 B4 221 B4 222 B4 223 B4 224 B4 225 B4 226* B4 227* B4 230* B4 231* B4 231* B4 233* B4 234* B4 235* B4 236* B4 237 B4 238 B4 239 B4 240 B4 241 B4 242 B4 243 B4 244* B4 244* B4 244* B4 244* B4	208	B4
211* B4 212* B4 213* B4 214 B4 215 B4 216* B4 217 B4 218 B4 219 B4 220 B4 221 B4 222 B4 223 B4 224 B4 225 B4 226* B4 227* B4 230* B4 231* B4 233* B4 233* B4 234* B4 237 B4 238 B4 239 B4 240 B4 241 B4 242 B4 243 B4 244* B4 244* B4 264 B4	209	B4
212* B4 213* B4 214 B4 215 B4 216* B4 217 B4 218 B4 219 B4 220 B4 221 B4 222 B4 223 B4 224 B4 225 B4 226* B4 227* B4 230* B4 231* B4 232* B4 233* B4 234* B4 235* B4 237 B4 238 B4 239 B4 240 B4 241 B4 242 B4 243 B4 244* B4 244* B4 264 B4	210	В4
213* B4 214 B4 215 B4 216* B4 217 B4 218 B4 219 B4 220 B4 221 B4 222 B4 223 B4 224 B4 225 B4 226* B4 227* B4 228* B4 230* B4 231* B4 233* B4 234* B4 235* B4 236* B4 237 B4 238 B4 239 B4 240 B4 241 B4 242 B4 243 B4 244* B4 264 B4	211*	В4
214 B4 215 B4 216* B4 217 B4 218 B4 219 B4 220 B4 221 B4 222 B4 223 B4 224 B4 225 B4 226* B4 227* B4 230* B4 231* B4 232* B4 233* B4 234* B4 235* B4 237 B4 238 B4 239 B4 240 B4 241 B4 242 B4 243 B4 244* B4 244* B4 264 B4	212*	B4
215 B4 216* B4 217 B4 218 B4 219 B4 220 B4 221 B4 222 B4 223 B4 224 B4 225 B4 226* B4 227* B4 228* B4 230* B4 231* B4 233* B4 234* B4 235* B4 236* B4 237 B4 238 B4 239 B4 240 B4 241 B4 242 B4 243 B4 244* B4 264 B4	213*	B4
216* B4 217 B4 218 B4 219 B4 220 B4 221 B4 222 B4 223 B4 224 B4 225 B4 226* B4 227* B4 230* B4 231* B4 232* B4 233* B4 235* B4 236* B4 237 B4 238 B4 239 B4 240 B4 241 B4 243 B4 244* B4 244* B4 264 B4	214	B4
217 B4 218 B4 219 B4 220 B4 221 B4 222 B4 223 B4 224 B4 225 B4 226* B4 227* B4 230* B4 231* B4 232* B4 233* B4 235* B4 236* B4 237 B4 238 B4 240 B4 241 B4 242 B4 243 B4 244* B4 264 B4		B4
218 B4 219 B4 220 B4 221 B4 222 B4 223 B4 224 B4 225 B4 226* B4 227* B4 228* B4 230* B4 231* B4 232* B4 233* B4 235* B4 236* B4 237 B4 238 B4 239 B4 240 B4 241 B4 242 B4 243 B4 244* B4 264 B4	216*	B4
219 B4 220 B4 221 B4 221 B4 222 B4 223 B4 224 B4 225 B4 226* B4 227* B4 228* B4 230* B4 231* B4 232* B4 233* B4 233* B4 233* B4 233* B4 233* B4 234* B4 235* B4 236* B4 237 B4 238 B4 237 B4 238 B4 240 B4 241 B4 242 B4 243 B4 244* B4 264 B4	217	B4
220 B4 221 B4 222 B4 223 B4 223 B4 224 B4 225 B4 225 B4 226* B4 227* B4 228* B4 229 B4 230* B4 231* B4 232* B4 233* B4 233* B4 233* B4 234* B4 235* B4 236* B4 237 B4 238 B4 239 B4 240 B4 241 B4 242 B4 243 B4 244* B4 264 B4	218	B4
221 B4 222 B4 223 B4 224 B4 225 B4 225 B4 226* B4 227* B4 228* B4 229 B4 230* B4 231* B4 232* B4 233* B4 233* B4 233* B4 234* B4 237 B4 238 B4 237 B4 238 B4 240 B4 241 B4 242 B4 243 B4 2244* B4 2264 B4	219	B4
222 B4 223 B4 224 B4 225 B4 225 B4 226* B4 227* B4 228* B4 229 B4 230* B4 231* B4 232* B4 233* B4 233* B4 234* B4 235* B4 236* B4 237 B4 238 B4 239 B4 240 B4 241 B4 242 B4 243 B4 2244* B4 2264 B4	220	B4
223 B4 224 B4 225 B4 226* B4 227* B4 228* B4 229 B4 230* B4 231* B4 232* B4 233* B4 233* B4 233* B4 235* B4 236* B4 237 B4 238 B4 239 B4 240 B4 241 B4 242 B4 243 B4 2244* B4 2264 B4	221	В4
224 B4 225 B4 226* B4 227* B4 2228* B4 229 B4 230* B4 231* B4 232* B4 233* B4 233* B4 233* B4 235* B4 236* B4 237 B4 238 B4 239 B4 240 B4 241 B4 242 B4 243 B4 2244* B4 2264 B4	222	B4
225 B4 226* B4 227* B4 228* B4 229 B4 230* B4 231* B4 232* B4 233* B4 233* B4 235* B4 235* B4 236* B4 237 B4 238 B4 239 B4 240 B4 241 B4 242 B4 243 B4 244* B4 264 B4	223	В4
226* B4 227* B4 228* B4 229 B4 230* B4 231* B4 232* B4 233* B4 233* B4 235* B4 236* B4 237 B4 238 B4 239 B4 240 B4 241 B4 242 B4 243 B4 244* B4 264 B4	224	В4
227* B4 228* B4 229 B4 230* B4 231* B4 232* B4 233* B4 233* B4 233* B4 235* B4 236* B4 237 B4 238 B4 239 B4 240 B4 241 B4 242 B4 243 B4 244* B4 264 B4	225	В4
228* B4 229 B4 230* B4 231* B4 232* B4 233* B4 234* B4 235* B4 236* B4 238 B4 239 B4 240 B4 241 B4 242 B4 243 B4 244* B4 264 B4	226*	В4
229 B4 230* B4 231* B4 231* B4 232* B4 233* B4 233* B4 235* B4 236* B4 237 B4 238 B4 239 B4 240 B4 241 B4 242 B4 243 B4 244* B4 264 B4	227*	В4
230* B4 231* B4 232* B4 233* B4 233* B4 234* B4 235* B4 236* B4 237 B4 238 B4 239 B4 240 B4 241 B4 242 B4 243 B4 244* B4 264 B4	228*	В4
231* B4 232* B4 233* B4 233* B4 234* B4 235* B4 236* B4 237 B4 238 B4 239 B4 240 B4 241 B4 242 B4 243 B4 244* B4 264 B4	229	В4
232* B4 233* B4 234* B4 235* B4 236* B4 237 B4 238 B4 239 B4 240 B4 241 B4 242 B4 243 B4 244* B4 264 B4	230*	В4
233* B4 234* B4 235* B4 236* B4 237 B4 238 B4 239 B4 240 B4 241 B4 242 B4 243 B4 244* B4 264 B4	231*	В4
234* B4 235* B4 236* B4 237 B4 238 B4 239 B4 240 B4 241 B4 242 B4 243 B4 244* B4 264 B4	232*	В4
235* B4 236* B4 237 B4 238 B4 239 B4 240 B4 241 B4 242 B4 243 B4 244* B4 264 B4	233*	В4
236* B4 237 B4 238 B4 239 B4 240 B4 241 B4 242 B4 243 B4 244* B4 264 B4	234*	B4
237 B4 238 B4 239 B4 240 B4 241 B4 242 B4 243 B4 244* B4 264 B4	235*	В4
238 B4 239 B4 240 B4 241 B4 242 B4 243 B4 244* B4 264 B4	236*	B4
239 B4 240 B4 241 B4 242 B4 243 B4 244* B4 264 B4	237	B4
240 B4 241 B4 242 B4 243 B4 244* B4 264 B4	238	B4
241 B4 242 B4 243 B4 244* B4 264 B4	239	В4
242 B4 243 B4 244* B4 264 B4	240	В4
243 B4 244* B4 264 B4	241	В4
244* B4 264 B4	242	В4
264 B4	243	B4
	244*	B4
265 B4	264	В4
	265	B4

Lot	A ativity
LOT	Activity Area
266	B4
267	B4
268	B4
269*	B4
270*	B4
311*	В3
312*	В3
313*	В3
314	В3
315	В3
316	В3
317	В3
318	В3
319	В3
320	В3
321	В3
322	В3
323	В3
324	В3
325	В3
326	В3
327	В3
328	В3
329	В3
330	В3
331	В3
332	В3
333	В3
334	В3
335	В3
336	В3
337	В3
338	В3
339	В3
340	В3
341	В3
342	В3
343	В3
344	В3
345	В3
346	В3
347	В3
348	В3
349	В3
350	В3

APPENDIX

LOT NUMBERS AND ACTIVITY AREAS

*Denotes Duplex Lot

Lot	Activity Area
351	В3
352	В3
353	В3
354	В3
355	В3
356	В3
357	В3
358	В3
359	В3
360	В3
361	В3
362	В3
363	В3
364	В3
365	В3
366	В3
367	В3
368	В3
369*	В3
370	В3
371	В3
372	В3
373	В3
374*	В3
375	В3
376	В3
377	В3
378	В3
379*	В3
380	В3
381	В3
382	В3
383	В3
384	В3
385	В3
386	B2
387	B2
388	B2
389	B2
390	B2
391	B2
392	B2
393	B2
403	В3
404	В3

	*De
Lot	Activity Area
405	В3
406	В3
407	В3
408	В3
409	В3
410	C1
411	C1
412	C1
413	В3
414	В3
415	В3
416	В3
417	В3
418	В3
419	В3
420	В3
421	В3
422*	В3
423	В3
424	В3
425	В3
426	В3
427	В3
428*	В3
429	В3
430	В3
431	В3
432	В3
433	В3
434	В3
435	В3
436	В3
437*	В3
438	В3
439	В3
440	В3
441	B2
442	B2
443	В3
444	В3
445	В3
446	В3
447	В3
448	В3
449	В3

Lot	Activity Area
450	B2
451	B2
452	B2
453	C1
454	C1
455	C1
456	C1
457	B2
458	B2
459	B2
460	B2
461	B2
462*	B2
463	B2
464	C1
465	C1
466	C1
467	C1
468	C1
469	C1
470	C1
471	C1
472	C1
473	C1
474	C1
475	C1
476	C1
477	C1
478	C1
479	C1
480	B2
481	B2
482	B2
483	B2
484	B2
485*	B2
486	C1
487	C1
488	C1
489	C1
490	C1
491	C1
492	C1
493	C1
494	C1

Lot	Activity Area
495	C1
496	C1
497	C1
498	C1
499	C1
500	C1
501	C1
502	C1
503	C1
504	C1
505	C1
506	C1
507	C1
508	C1
509	C1
510	C1
511	C1
512	C1
513	C1
514	C1
515	C1
516	C1
517	C1
518	C1
519	C1
520	C1
521	C1
522	C1
523	C1
524	C1
525	C1
526	C1
527	C1
528	C1
529	C1
530	C1
531	C1
532	C1
533	C1
534	C1
535	C1

Lot	Activity Area
5000	D1
5001	D1
5002	D1
5003	D1
5004	D1
5005	D1
5006	D1
5007	D1
5008	D1
5009	D1
5010	D1
5011	D1
5012	D1
5013	D1
5014	D1
5015	D1
5016	D1
5017	D1
5018	D1
5019	D1
5020	D1
5021	D1
5022	D1
5023	D1
5024	D1
5025	D1
5026	D1
5027	D1
5028	D1
5029	D1
5030	D1
5031	D1
5032	D1
5033	D1
5034	D1
5035	D1
5036	D1
5037	D1
5038	D1
5039	D1
5040	D1
5041	D1
5042	D1
5043	D1
5044	D1
5045	D1

Lot	
	Activity Area
5046	D1
5047	D1
5048	D1
5049	D1
5050	D1
5051	D1
5052	D1
5053	D1
5054	D1
5055	D1
5056	D1
5057	D1
5058	D1
5059	D1
5060	D1
5061	D1
5062	D1
5063	D1
5064	D1
5065	D1
5066	D1
5067	D1
5068	D1
5069	D1
5070	D1
5071	D1
5072	D1
5073	D1
5074	D1
5075	D1
5076	D1
5077	D1
5078	D1
5079	D1
5080	D1
5081	D1
5082	D1
5083	D1
5084	D1
5085	D1
5086	D1
5087	D1
5088	D1
5089	D1
5090	D1
5091	D1

Lot	Activity Area
5092	D1
5093	D1
5094	D1
5095	D1
5096	D1
5097	D1
5098	D1
5099	D1
5100	D1
5101	D1
5102	D1
5103	D1
5104	D1
5105	D1
5106	D1
5107	D1
5108	D1
5109	D1
5110	D1
5111	D1
5112	D1
5113	D1
5114	D1
5115	D1
5116	D1
5117	D1
5118	D1
5119	D1
5120	D1
5121	D1
5122	D1
5123	D1
5124	D1
5125	D1
5126	D1
5127	D1
5128	D1
5129	D1
5130	D1
5131	D1
5132	D1
5133	D1
5134	D1
5135	D1
5136	D1

Lot	Activity Area
5138	D1
5139	D1
5140	D1
5141	D1
5142	D1
5143	D1
5144	D1
5145	D1
5146	D1
5147	D1
5148	D1
5149	D1
5150	D1
5151	D1
5152	D1
5153	D1
5154	D1
5155	D1
5156	D1
5157	D1
5158	D1
5159	D1
5160	D1
5161	D1
5162	D1
5163	D1
5164	D1
5165	D1
5166	D1
5167	D1
5168	D1
5169	D1
5170	D1
5171	D1
5172	D1
5173	D1
5174	D1
5175	D1

5137

D1



DESIGN YOUR OWN HOME LOTS

BUILDING PLAN SUBMISSION

\bigcirc	Λ/	N	F	RS	\Box	FI	ΓΔ	П	C
しノ	vv	IΝ		C_{ij}	ーレノ			ш)

NAME OF OWNER:

ADDRESS						
PHONE (DAY):	MOBILE:				
EMAIL:						
PROJ	ECT LOCATION					
STREET AD	DRESS:					
LOT NUM	BER:	CT NUMBER:				
AGEN	NTS DETAILS					
NAME OF	AGENT:					
COMPAN	Y:					
ROLE (AR	CHITECT/DESIGNER/BUILDER/OTHER):					
PHONE (B	USINESS):	MOBILE:				
EMAIL:						
WHA	T TO INCLUDE WITH THE SUBA	NOISSION				
Final Desi	gn Submission must be accompanied by the follo	owing:				
☐ This c	ompleted application form					
□ Set o	f Plans which includes:					
	 Landscape / Site Plan (pref. 1:100 scale) Length and bearing of all boundaries, existing and proposed ground levels Location height, construction and color of all fences and timber uprights Location, species and size at the time of planting of all boundary hedges Location, species and size at the time of planting of all trees, shrubs, grasses and other vegetation Ground surface treatment, whether it be grass, gravels, concrete, decking or other. The driveway must be shown extending to the road edge Location, color and details of any accessory building, structure, shed, awning, pergola, playhouse etc 					
	ground levels and building heights from surve o Colors, roofing and cladding materials clearl o Any rooftop equipment including antennae	s and building sections showing finished floor levels, finished ey datum with existing levels and contours clearly marked y identified with LRV information , satellite dishes, chimneys and exterior lighting and exterior wall materials and of any special features				
	Any other information that you think may be nece					

LEE & CONSTRUCTION BON	D DETAILS	
 Processing Fee of \$500 + GST (\$575) To review and process the plan set with the issuance of a single Design Control 	reference to the Northlake Design Control Guide Approval	lines. This fee covers
activities on site (including the builder bond is payable to Northlake Development of the building work is fully complete the building work is fully complete to NDL has confirmed in writing that Approval; and to any damage to surrounding area have been fully repaired or reinstance in the event that the owner has not condamage caused to surrounding areas damage and any additional costs may be a construction be a construction of the Design review to be under the construction of the Design review to be under the construction of the Design review to be under the construction of the Design review to be under the construction of the Design review to be under the construction of the Design review to be under the construction of the Design review to be under the construction of the Design review to be under the construction of the Design review to be under the construction of the Design review to be under the construction of the Design review to be under the construction of the Design review to be under the construction of the Design review to be under the Design review to the Design review to be under the Design review to t	the owner has fully complied with the with the Design (public or private) that have occurred through bated to the satisfaction of NDL. Complied with the Design Control Approval and/or so, NDL may utilise the bond in remedying such nor y also be recovered from the owner. Indeed with the Design Control Approval and/or so, NDL may utilise the bond in remedying such nor y also be recovered from the owner.	y adjacent area). The NDL and will become sign Control building activities there has been n-compliance or
ADDITIONAL POINTS		
covenants on the Title and the Queens 2. Information to be forwarded to: Northle		trol Guidelines, the
we confirm that the above information is corrected and all charges incurred in processing this applicate	ct and I/we agree to pay the Construction Bond o cation.	as detailed above
DWNERS SIGNATURE	NAME	DATE

OWNERS SIGNATURE

NAME

DATE